



Date:29 June 2018

Page 1 of 7

MPS METAL PLASTIK SAN. ÇEMBER VE PAKETLEME SISTEMLERI İMALAT VE TİC. A.Ş.

DILOVASI ORG. SAN. BOLGESI D 5009 SOK. NO:1 DILOVASI KOCAELI TEL: 0262 648 98 00 FAX: 0262 648 98 98 E-Mail: mkaplan@mpsmetal.com.tr To the attention of Musa Kaplan

The following sample(s) was /were submitted and identified by/on behalf of the clients as: : MPS METAL PLASTIK SAN. ÇEMBER VE PAKETLEME SISTEMLERI İMALAT Sample Submitted By

··· [···· ,		VE TIC. A.Ş.
Sample Description	:	
Article No.	:	Not Provided
Model No.	:	Lifex
PO / Order No.	:	Not Provided
Reference No.	:	Not Provided
Client	:	Not Provided
End Use	:	Not Provided
Sample Receiving Date	:	26 June 2018
Testing Period	:	26 June 2018 ~ 29 June 2018
Service Type	:	NORMAL
Test Requested	:	Selected test(s) as requested by client.
Test Method	:	Please refer to next page(s)
Test Result(s)	:	Please refer to next page(s)
Conclusion	:	Based on the performed tests on selected part of submitted samples, the results of Lead,

Based on the performed tests on selected part of submitted samples, the results of Lead, 2 Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.l www.sgs.com/terms e-document.htm

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation

SGS Supervise Gözetme Etüd Kontrol Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209

 $t \; (90\text{-}212) \; 368 \; 40 \; 00 \quad f \; (90\text{-}212) \; 296 \; 47 \; 82 / \! / \! 83$





Date:29 June 2018

Page 2 of 7

The test results relate to the tested items only. Test reports without SGS seal and authorized signatures are invalid. Reported results do not include uncertainties.

> Issued in Istanbul Signed for and on behalf of SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

Tuğrul Doğan	Ayşe Gönen
Customer Services Supervisor	Customer Services Team Leader
Tullian	Republic States

"This document is issued by the Company subject to its General Conditions o	f Service printed overleaf, available on request or accessible at
www.sgs.com/terms and conditions.htm and, for electronic format document	s, subject to Terms and Conditions for Electronic Documents at
ununu ana aam /tauma a daaumaant bina	

www.sgs.comterms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation

SGS Supervise Gözetme Etüd Kontrol Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209

 $t \; (90\text{-}212) \; 368 \; 40 \; 00 \quad f \; (90\text{-}212) \; 296 \; 47 \; 82 / 83$



Testing Laboratory Page 3 of 7

TEST REPORT Job No./Report No TR1346590

Date:29 June 2018

Test Part Description :

No.1: White product

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>.

www.sgs.comterms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation

SGS Supervise Gözetme Etüd Kontrol Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209

 $t \; (90\text{-}212) \; 368 \; 40 \; 00 \quad f \; (90\text{-}212) \; 296 \; 47 \; 82 / 83$





Date:29 June 2018

Page 4 of 7

Flame Retardants (ROHS)¹

Test Method: With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.

Test Item(s):	Unit	Results	MDL	Limit
		1		
Sum of PBBs	mg/kg	n.d.	-	1000
Monobromobiphenyl	mg/kg	n.d.	5	-
Dibromobiphenyl	mg/kg	n.d.	5	-
Tribromobiphenyl	mg/kg	n.d.	5	-
Tetrabromobiphenyl	mg/kg	n.d.	5	-
Hexabromobiphenyl	mg/kg	n.d.	5	-
Pentabromobiphenyl	mg/kg	n.d.	5	-
Heptabromobiphenyl	mg/kg	n.d.	5	-
Octabromobiphenyl	mg/kg	n.d.	5	-
Nonabromobiphenyl	mg/kg	n.d.	5	-
Decabromobiphenyl	mg/kg	n.d.	5	-

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>.

www.sgs.comterms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation

SGS Supervise Gözetme Etüd Kontrol Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209

 $t \; (90\text{-}212) \; 368 \; 40 \; 00 \quad f \; (90\text{-}212) \; 296 \; 47 \; 82 / 83$





Date:29 June 2018

Page 5 of 7

Test Item(s):	Unit	Results	MDL	<u>Limit</u>
		1		
Sum of PBDEs	mg/kg	n.d.	-	1000
Monobromodiphenyl ether	mg/kg	n.d.	5	-
Dibromodiphenyl ether	mg/kg	n.d.	5	-
Tribromodiphenyl ether	mg/kg	n.d.	5	-
Tetrabromodiphenyl ether	mg/kg	n.d.	5	_
Hexabromodiphenyl ether	mg/kg	n.d.	5	_
Pentabromodiphenyl ether	mg/kg	n.d.	5	-
Heptabromodiphenyl ether	mg/kg	n.d.	5	-
Octabromodiphenyl ether	mg/kg	n.d.	5	-
Nonabromodiphenyl ether	mg/kg	n.d.	5	-
Decabromodiphenyl ether	mg/kg	n.d.	5	-

(a) mg/kg = ppm ; 0.1wt % = 1000 ppm

(b) n.d. = Not Detected

(c) MDL = Method Detection Limit

(d) " - " = Not Regulated

The maximum permissible limit is guoted from RoHS Directive (EU) 2015/863. IEC 62321 series is equivalent to EN 62321 series http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:1258637,25

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>.

www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation

SGS Supervise Gözetme Etüd Kontrol	İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209			
Servisleri A. Ş.	t (90-212) 368 40 00 f (90-212) 296 47 82/83 Member of SGS Group (Société Générale de Surveillance)			





Date:29 June 2018

Page 6 of 7

Heavy Metals (ROHS)1

Test Method:

1) With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.

2) With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.

3) With reference to IEC 62321-4:2013+A1:2017, determination of Mercury by ICP-OES.

Test Item(s):	Unit	Results	MDL	<u>Limit</u>
		1		
Cadmium (Cd)	mg/kg	n.d.	2	100
Lead (Pb)	mg/kg	15 mg/kg	2	1000
Mercury (Hg)	mg/kg	n.d.	2	1000
Hexavalent Chromium (CrVI)	mg/kg	n.d.*	8	1000

(a) mg/kg = ppm ; 0.1wt % = 1000 ppm

(b) n.d. = Not Detected

(c) MDL = Method Detection Limit

(d) "*" = Test result for Chromium VI is considered as "n.d" since Total Chromium is not found by IEC 62321 test method. (e) " - " = Not Regulated

The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

IEC 62321 series is equivalent to EN 62321 series

http://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:1258637,25

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and cond w.sas.com/terms_e-document.htm

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation

SGS Supervise Gözetme Etüd Kontrol Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209





Date:29 June 2018



End of Test Report

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at v.sas.com/terms_e-document.htm

www.sgs.comterms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation

SGS Supervise Gözetme Etüd Kontrol Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209

 $t \; (90\text{-}212) \; 368 \; 40 \; 00 \quad f \; (90\text{-}212) \; 296 \; 47 \; 82 / 83$